
Treat this like an exam. Answer the following questions. You must show your work to receive full credit.

1. Let  $A = \{6, 7, 8\}$  and  $B = \{1, 3, 5, 7, 9, 11\}$ , and suppose the universal set is  $U = \{1, 2, \dots, 11\}$ . List all the elements in the following sets.


- (a)  $A \cap B'$
- (b)  $(A \cap B)'$
- (c)  $(A \cup B)' \times A$
- (d)  $P(A \setminus B)$

**2.** List all of the elements  $S \in P(\{1, 2, 3, 4\})$  such that |S| = 3.

**3.** In the venn diagram below, shade the area corresponding to  $A \cap (B \cup C')$ .



4. Consider the following graph.



- (a) (4 points) This graph does not have an Euler path (a path which uses every edge exactly once). Explain why. Make sure to reference any theorem that you use.
- (b) (4 points) Without adding new vertices, add a single edge to the graph so that the new graph will have an Euler path. Indicate the new edge by drawing it on the graph.

5. Consider the following sets.

G= the set of all good citizens. C= the set of all charitable people. P= the set of all polite people.

Express the statement, "Everyone who is charitable and polite is a good citizen," in the language of set theory.

- **6.** Define a function  $f : \mathbb{R} \to [0, \infty)$  by the formula  $f(x) = x^2$ .
  - (a) Is f one-to-one? Prove or disprove.
  - (b) Is f onto? Prove or disprove.

- **7.** Consider the functions  $f : \mathbb{R} \to \mathbb{R}$  and  $g : \mathbb{R} \to \mathbb{R}$  defined by  $f(x) = x^3 + 1$  and g(x) = 2x + 1.
  - (a) Find  $f \circ g$ .
  - (b) Find  $g \circ f$ .

Let  $n \in \mathbb{N}$  be a positive integer. Recall the relation on  $\mathbb{Z}$  for modular arithmetic defined by  $a \equiv b \mod n$  whenever n|(a - b).

8. Find the equivalence class of -1 modular 4.

9. Show that the above relation is an equivalence relation.

**10.** Let *D* be the relation defined by "divides," i.e. a D b whenever a|b. Show that this relation is a partial ordering on  $\mathbb{N}$ .

**11.** Let P be defined by

$$P(n) = \begin{cases} 1 & \text{if } n = 0\\ n \cdot P(n-1) & \text{if } n > 0. \end{cases}$$

- (a) Use the recursive formula above to compute P(4).
- (b) Use induction to verify that P(n) = n!, where

$$n! = 1 \cdot 2 \cdot 3 \cdots \cdots (n-1) \cdot n$$

and by convention 0! = 1.

**12.** Suppose there is a zombie apocalypse starting today with 1 zombie. Each day, every zombie will create two more zombies.

- (a) Assuming that no zombies are destroyed, calculate the number of zombies Z(5) on day 5.
- (b) Find a recurrence relation for the number of zombies Z(n) on day n.
- (c) Guess a closed-form for your recurrence relation.
- (d) Verify that your guess is correct using induction.

**13.** Let A and B be sets. Prove that  $A \subseteq A \cup B$ .

14. Consider the following sets.

$$\begin{split} A &:= \{n \in \mathbb{Z} | n = 4k + 1 \text{ for some } k \in \mathbb{Z} \}.\\ B &:= \{n \in \mathbb{Z} | n = 4k + 3 \text{ for some } k \in \mathbb{Z} \}.\\ E &:= \{n \in \mathbb{Z} | n = 2k \text{ for some } k \in \mathbb{Z} \}.\\ O &:= \{n \in \mathbb{Z} | n = 2k + 1 \text{ for some } k \in \mathbb{Z} \}. \end{split}$$

Prove the following set relationships.

- (a)  $A \subseteq O$ .
- (b)  $B' \not\subseteq E$ .
- (c)  $A' \cap B' = E$ .
- (d)  $A \cup B = O$ .
- (e)  $B = O \cap A'$ .