

MARK BOX		
PROBLEM	POINTS	
0	10	
1	10	
2-13	60=12x5	
14	10	
15	10	
%	100	

HAND IN PART

NAME: _____

PIN: _____

INSTRUCTIONS

- This exam comes in two parts.
 - HAND IN PART. Hand in only this part.
 - STATEMENT OF MULTIPLE CHOICE PROBLEMS. Do not hand in this part. You can take this part home to learn from and to check your answers once the solutions are posted.
- On Problem 0**, fill in the blanks. As you know, if you do not make at least half of the points on Problem 0, then your score for the entire exam will be whatever you made on Problem 0.
- For TrueFalse/MultipleChoice problems 1–13**, circle your answer(s) on the provided chart. No need to show work. The STATEMENT OF MULTIPLE CHOICE PROBLEMS will not be collected.
- For problems > 13**, to receive credit you **MUST**:
 - work in a logical fashion, show all your work, indicate your reasoning; no credit will be given for an answer that *just appears***; such explanations help with partial credit
 - if a line/box is provided, then:
 - show your work **BELOW** the line/box
 - put your answer on/in the line/box
 - if no such line/box is provided, then box your answer.
- The MARK BOX above indicates the problems along with their points. Check that your copy of the exam has all of the problems.
- Upon request, you will be given as much (blank) scratch paper as you need.
- During the exam, the use of unauthorized materials is prohibited. Unauthorized materials include: books, electronic devices, any device with which you can connect to the internet, and personal notes. Unauthorized materials (including cell phones) must be in a secured (e.g. zipped up, snapped closed) bag placed completely under your desk or, if you did not bring such a bag, given to Prof. Girardi to hold for you during the exam (and they will be returned when you leave the exam). This means no electronic devices (such as cell phones) allowed in your pockets. At a student's request, I will project my watch upon the projector screen.
- During this exam, do not leave your seat unless you have permission. If you have a question, raise your hand. When you finish: turn your exam over, put your pencil down and raise your hand.
- This exam covers (from *Calculus* by Thomas, 13th ed., ET): §8.7–8.8, 10.1–10.7 .

Honor Code Statement

I understand that it is the responsibility of every member of the Carolina community to uphold and maintain the University of South Carolina's Honor Code.

As a Carolinian, I certify that I have neither given nor received unauthorized aid on this exam.

I understand that if it is determined that I used any unauthorized assistance or otherwise violated the University's Honor Code then I will receive a failing grade for this course and be referred to the academic Dean and the Office of Academic Integrity for additional disciplinary actions.

Furthermore, I have not only read but will also follow the instructions on the exam.

Signature : _____

0. Fill-in-the boxes. All series \sum are understood to be $\sum_{n=1}^{\infty}$, unless otherwise indicated.

0.1. **Geometric Series**. Fill in the boxes with the proper range of $r \in \mathbb{R}$.

- The series $\sum r^n$ converges if and only if r satisfies .

0.2. **p -series**. Fill in the boxes with the proper range of $p \in \mathbb{R}$.

- The series $\sum \frac{1}{n^p}$ converges if and only if .

0.3. State the **Direct Comparison Test** for a positive-termed series $\sum a_n$.

- If when $n \geq 17$ and , then $\sum a_n$ converges.
- If when $n \geq 17$ and , then $\sum a_n$ diverges.

Hint: sing the song to yourself.

0.4. State the **Limit Comparison Test** for a positive-termed series $\sum a_n$.

Let $b_n > 0$ and $L = \lim_{n \rightarrow \infty} \frac{a_n}{b_n}$.

- If $0 < L < \infty$, then
- If $L = 0$, then
- If $L = \infty$, then

Goal: cleverly pick positive b_n 's so that you know what $\sum b_n$ does (converges or diverges) and the sequence $\left\{ \frac{a_n}{b_n} \right\}_n$ converges.

0.5. **Helpful Intuition** Fill in the 3 boxes using: e^x , $\ln x$, x^q . Use each once, and only once.

Consider a positive power $q > 0$. There is (some big number) $N_q > 0$ so that if $x \geq N_q$ then

$$\boxed{} \leq \boxed{} \leq \boxed{}.$$

1. Circle T if the statement is TRUE. Circle F if the statement if FALSE. To be more specific: circle T if the statement is always true and circle F if the statement is NOT always true. Scoring: 2 pts for correct answer, 0 pts for an incorrect answer, 1 pt for a blank answer (indicated by a circled B).

T	F	B	If $\lim_{n \rightarrow \infty} a_n \neq 0$, then $\sum a_n$ diverges.
T	F	B	If $\lim_{n \rightarrow \infty} a_n = 0$, then $\sum a_n$ converges.
T	F	B	If $a_n \geq 0$ for all $n \in \mathbb{N}$, then $\sum a_n$ is either absolutely convergent or divergent.
T	F	B	If $\sum a_n $ converges, then $\sum a_n$ converges.
T	F	B	If $\sum (a_n + b_n)$ converges, then $\sum a_n$ converges and $\sum b_n$ converge.

TABLE FOR YOUR ANSWERS TO MULTIPLE CHOICE PROBLEMS

- Indicate (by circling) directly in the table below your solution to each problem.
- You may choose up to **2** answers for each problem. The scoring is as follows.
 - For a problem with precisely one answer marked and the answer is correct, 5 points.
 - For a problem with precisely two answers marked, one of which is correct, 3 points.
 - For a problem with nothing marked (i.e., left blank) 1 point.
 - All other cases, 0 points.
- Fill in the “number of solutions circled” column. (Worth a total of 1 point of extra credit.)

Your Solutions							Do Not Write Below			
PROBLEM						number of solutions circled	1	2	B	x
2	2a	2b	2c	2d	2e					
3	3a	3b	3c	3d	3e					
4	4a	4b	4c	4d	4e					
5	5a	5b	5c	5d	5e					
6	6a	6b	6c	6d	6e					
7	7a	7b	7c	7d	7e					
8	8a	8b	8c	8d	8e					
9	9a	9b	9c	9d	9e					
10	10a	10b	10c	10d	10e					
11	11a	11b	11c	11d	11e					
12	12a	12b	12c	12d	12e					
13	13a	13b	13c	13d	13e					
							Extra Credit:			

14. Geometric Series. (On this page, you should do basic algebra but you do NOT have to do any grade-school arithmetic (eg, you can leave $(\frac{17}{18})^{171}$ as just that.) Let, for $N \geq 51$,

$$s_N = \sum_{n=51}^N 2 \frac{3^{n+1}}{5^n} .$$

- 14a. Do some algebra to write s_N as $\sum_{n=51}^N c r^n$ for an appropriate constant c and ratio r .

$$s_N = \sum_{n=51}^N$$

- 14b. Using the method from class (rather than some formula), find an expression for s_N in closed form (i.e. without a summation \sum sign nor some dots \dots).

$$s_N =$$

- 14c. Does $\sum_{n=51}^{\infty} 2 \frac{3^{n+1}}{5^n}$ converge or diverge? If it converges, find its sum. Justify your answer.

$$\sum_{n=51}^{\infty} 2 \frac{3^{n+1}}{5^n}$$

15. Check the correct box and then indicate your reasoning below. **SHOW ALL YOUR WORK.** Specifically specify what test(s) you are using. A correctly checked box without appropriate explanation will receive no points.

$$\sum_{n=1}^{\infty} \frac{\ln n}{n^{1.23}}$$

absolutely convergent

conditionally convergent

divergent

STATEMENT OF MULTIPLE CHOICE PROBLEMSThese sheets of paper are not collected.

2. Evaluate the integral

$$\int_{x=-\infty}^{x=\infty} \frac{1}{1+x^2} dx .$$

- a. 0
- b. π
- c. diverges to infinity
- d. does not exist but also does not diverge to infinity
- e. None of the others.

3. Evaluate the integral

$$\int_{10}^{12} \frac{-2}{(x-11)^3} dx .$$

- a. 0
- b. 2
- c. diverges to infinity
- d. does not exist but also does not diverge to infinity
- e. None of the others.

4. Investigate the convergence of

$$\int_{x=1}^{x=\infty} \frac{1-e^{-x}}{x} dx .$$

- a. The integral converges by the Limit Comparison Test, comparing the integrand with $g(x) = \frac{1}{x}$.
- b. The integral diverges by the Limit Comparison Test, comparing the integrand with $g(x) = \frac{1}{x}$.
- c. The integral converges by the Direct Comparison Test, comparing the integrand with $g(x) = \frac{1}{x}$.
- d. The integral diverges by the Direct Comparison Test, comparing the integrand with $g(x) = \frac{1}{x}$.
- e. None of the others.

5. Evaluate

$$\lim_{n \rightarrow \infty} \frac{\sqrt{25n^3 + 4n^2 + n - 5}}{7n^{\frac{3}{2}} + 6n - 1}.$$

- a. 0
- b. ∞
- c. $\frac{25}{7}$
- d. $\frac{5}{7}$
- e. None of the others.

6. Find all real numbers r satisfying that

$$\sum_{n=2}^{\infty} r^n = \frac{1}{12}.$$

- a. $\frac{1}{12}$
- b. $\frac{1}{12}$ and $\frac{-1}{12}$
- c. $\frac{1}{4}$ and $\frac{-1}{3}$
- d. $\frac{1}{3}$ and $\frac{-1}{4}$
- e. None of the others.

7. Consider the following two series.

Series A is $\sum_{n=1}^{\infty} \frac{1}{n}.$

Series B is $\sum_{n=1}^{\infty} \frac{(-1)^n}{n}.$

- a. Both series converge absolutely.
- b. Both series diverge.
- c. Series A converges conditionally and Series B diverges.
- d. Series A diverges and Series B converges conditionally.
- e. None of the others.

8. Consider the formal series

$$\sum_{n=1}^{\infty} (-1)^n \frac{1}{\sqrt{(n+2)(n+7)}} .$$

- This series is absolutely convergent, as can be shown by the limit comparison test (LCT) with $b_n = \frac{1}{n^2}$.
- This series is conditionally convergent, as can be shown by using only the AST and not other tests.
- This series converges conditionally, as can be shown by using the LCT with $b_n = \frac{1}{n}$ as well as the AST .
- This series diverges.
- None of the others.

9. Consider the formal series

$$\sum_{n=1}^{\infty} (-1)^n \frac{n!}{(3n)!} .$$

Let

$$a_n = (-1)^n \frac{n!}{(3n)!} \quad \text{and} \quad \rho = \lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| .$$

- $\sum_{n=1}^{\infty} a_n$ converges absolutely by the Ratio Test because $\rho = \frac{1}{3}$.
- $\sum_{n=1}^{\infty} a_n$ converges absolutely by the Ratio Test because $\rho = 0$.
- $\rho = 1$ so the Ratio Test fails for $\sum_{n=1}^{\infty} a_n$.
- $\rho > 1$ so by the Ratio Test $\sum_{n=1}^{\infty} a_n$ diverges.
- None of the others.

10. What is the LARGEST interval for which the formal power series

$$\sum_{n=1}^{\infty} \frac{(5x+15)^n}{4^n}$$

is absolutely convergent?

- $\left(\frac{11}{5}, \frac{19}{5} \right)$
- $\left[\frac{11}{5}, \frac{19}{5} \right]$
- $\left(\frac{-19}{5}, \frac{-11}{5} \right)$
- $\left[\frac{-19}{5}, \frac{-11}{5} \right]$
- None of the others.

11. By using the Limit Comparison Test, one can show that the formal series

$$\sum_{n=1}^{\infty} \frac{n}{\sqrt{(n+1)(n+2)(n+3)(n+4)(n+5)}}. \quad (11)$$

is:

- convergent by comparing the series in (11) to the p -series $\sum \left(\frac{1}{n}\right)^p$ with $p = 5/2$.
- convergent by comparing the series in (11) to the p -series $\sum \left(\frac{1}{n}\right)^p$ with $p = 3/2$.
- divergent by comparing the series in (11) to the p -series $\sum \left(\frac{1}{n}\right)^p$ with $p = 5/2$.
- divergent by comparing the series in (11) to the p -series $\sum \left(\frac{1}{n}\right)^p$ with $p = 3/2$.
- none of the others

12. The formal series

$$\sum_{n=17}^{\infty} \frac{1}{n \ln n}$$

is:

- convergent by the integral test
- convergent by the ratio test
- divergent by the integral test
- divergent by the ratio test
- none of the others

13. Consider the formal series

$$\sum_{n=1}^{\infty} \frac{1}{n(n+1)} \quad (13)$$

and let

$$s_N = \sum_{n=1}^N \frac{1}{n(n+1)}.$$

Note that the partial fractions decomposition of $\frac{1}{n(n+1)}$ is $\frac{1}{n} - \frac{1}{n+1}$.

- $s_N = 1 - \frac{1}{N+1}$ and the series in (13) converges to 1.
- $s_N = 1 + \frac{1}{N+1}$ and the series in (13) converges to 1.
- $s_N = 1 + \frac{1}{N}$ and the series in (13) converges to 1.
- $s_N = 1 - \frac{1}{N}$ and the series in (13) converges to 1.
- none of the others