

Math 574, Exam 1, Summer 2007

Write your answers as legibly as you can on the blank sheets of paper provided. Use only **one side** of each sheet. Be sure to number your pages. Put your solution to problem 1 first, and then your solution to number 2, etc.; although, by using enough paper, you can do the problems in any order that suits you.

Please leave room in the upper left corner for the staple.

There are 8 problems **ON TWO SIDES!**. The exam is worth a total of 50 points. SHOW your work. *CIRCLE* your answer. **CHECK** your answer whenever possible. **No Calculators.**

If I know your e-mail address, I will e-mail your grade to you. If I don't already know your e-mail address and you want me to know it, then **send me an e-mail**.

I will post the solutions on my website sometime after 3:15 today.

1. (7 points) Suppose that A_1, \dots, A_n are sets where $n \geq 2$. Suppose also that for all pairs of integers i and j with $1 \leq i < j \leq n$, either $A_i \subseteq A_j$ or $A_j \subseteq A_i$. Prove that there exists an integer i , with $1 \leq i \leq n$, such that $A_i \subseteq A_j$ for all j with $1 \leq j \leq n$.
2. (7 points) Prove that if n is a positive integer, then 133 divides $11^{n+1} + 12^{2n-1}$.
3. (6 points) Prove that $1 \cdot 1! + 2 \cdot 2! + \dots + n \cdot n! = (n+1)! - 1$, whenever n is a positive integer.
4. (6 points) Let f be a function from the real numbers to the real numbers, and let a be a real number. What is the negation of the statement: "For all real numbers $\varepsilon > 0$, there exists a real number $\delta > 0$, such that if x is a real number, with $0 < |x - a| < \delta$, then $|f(x) - f(a)| < \varepsilon$ "?
5. (6 points) Let A , B , and C be sets, and $g: A \rightarrow B$ and $f: B \rightarrow C$ be functions. Suppose that f is onto and $f \circ g$ is onto. Does g have to be onto? If yes, prove your answer. If no, give a counterexample.
6. (6 points) List the elements of $\mathfrak{P}(\mathfrak{P}(\emptyset))$. (In this problem, if S is a set, then $\mathfrak{P}(S)$ is the power set of S .)
7. (6 points) Let $A_i = \{\dots, -2, -1, 0, 1, \dots, i\}$. Find
 - (a) $\bigcup_{i=1}^n A_i$, and
 - (b) $\bigcap_{i=1}^n A_i$.

8. (6 points) Consider the statement “if $3 < x$, then $9 < x^2$ ”.
- (a) What is the converse of the original statement?
 - (b) Is (a) logically equivalent to the original statement?
 - (c) What is the contrapositive of the original statement?
 - (d) Is (c) logically equivalent to the original statement?