Bibliography

Adelberg, A. and M. Filaseta (2002). On mth order Bernoulli polynomials of degree m that are Eisenstein. *Colloquium Mathematicum 93*, 21–26.

Agov, S. (1976a). Critères d'irréductibilité des polynômes composés à coefficints dans un corps fini. *Acta Arith. 30*, 213–223.

Agov, S. (1976b). Factorisation sur un corps fini $\mathbb{F}_{p^n}$ des polynômes composés $f(x^s)$ lorsque $f(x)$ est un polynômes irréductible de $\mathbb{F}_{p^n}[x]$. *L'enseignement mathématique (2nd series) 22*, 305–312.

Akbik, S. (1991). Large prime divisors of k consecutive integers and special irreducible polynomials over the rationals. *J. Indian Math. Soc. (N.S.) 56*(1-4), 7–21.

Alexander, J. (1987). Irreducibility criteria for polynomials with non-negative coefficients. Master's thesis, University of South Carolina.

Allen, M. and M. Filaseta. A generalization of a second irreducibility theorem of I. Schur. *Acta Arith.*.

Apostol, T. (1976). *Introduction to Analytic Number Theory*. New York: Springer-Verlag.

Arndt, F. (1859). Einfacher Beweis für die Irreductibilität einer Gleichung in der Kreistheilung. *Crelle J. 56*, 178–181.

Babaev, G. (1969). The number of divisors of irreducible polynomials. *Dokl. Akad. Nauk Tadžik. SSR 12*(5), 7–8.

Bajoga, B. G. (1978). Generation of irreducible polynomials from trinomials over GF(2). II. *Information and Control 37*(1), 5–18.

Bajoga, B. G. and W. J. Walbesser (1976). Generation of irreducible polynomials from trinomials over gf(2). I. *Information and Control 30*(4), 396–407.

Bateman, P. T. and R. Horn (1962). A heuristic asymptotic formula concerning the distribution of prime numbers. *Math. Comp. 16*, 363–367.

Bateman, P. T. and R. Horn (1965). Primes represented by irreducible polynomials in one variable. In *Proceedings of Symposia in Pure Math*, Volume 8, Rhode Island, pp. 119–135. Amer. Math. Soc.

Beasley, B. and M. Filaseta (2001). A distribution problem for powerfree values of irreducible polynomials. *Period. Math. Hungar. 42*, 123–144.

Bérczes, A. and L. Hajdu (1997). Computational experiences on the distances of polynomials to irreducible polynomials. *Math. Comp. 66*(217), 391–398.

Bérczes, A. and L. Hajdu (1998). On a problem of P. Turán concerning irreducible polynomials. In *Number theory (Eger, 1996)*, pp. 95–100. Berlin: de Gruyter.

Bergum, G. E. and V. E. Hoggatt (1974). Irreducibility of Lucas and generalized Lucas polynomials. *Fibonacci Quart. 12*, 95–100.

Berlekamp, E. R. (1984). *Algebraic Coding Theory*. Laguana Hills: Aegean Park Press.

Blake, I. F., S. Gao, and R. Lambert (1994). Constructive problems for irreducible polynomials over finite fields. In *Information theory and applications (Rockland, ON, 1993)*, Volume 793 of *Lecture Notes in Comput. Sci.*, pp. 1–23. Berlin: Springer.

Blake, I. F., S. Gao, and R. C. Mullin (1997). Specific irreducible polynomials with linearly independent roots over finite fields. *Linear Algebra Appl. 253*, 227–249.

Borevich, Z. I. and I. R. Shafarevich (1966). *Number Theory*. London: Academic Press.

Borisov, A., M. Filaseta, and T.-Y. Lam (1999). Classes of polynomials having only one non-cyclotomic irreducible factor. *Acta Arith. 90*(2), 121–153.

Bouniakowski, V. (1857). Sur les diviseurs numeriques invariables des fonctions rationelles entieres. *Mem. Acad. Sci. St. Petersburg 6*, 305–309.

Boyd, D. W. (1994). Irreducible polynomials with many roots of maximal modulus. *Acta Arith. 68*(1), 85–88.

Brauer, A. and R. Brauer (1936). Über Irreduzibilitätskriterien von I. Schur und G. Pólya. *Jbr. Deutsch. Math. Verein. 40*, 242–265.

Brauer, A., R. Brauer, and H. Hopf (1926). Über die Irreduzibilität einiger spezieller Klassen von Polynomen. *Jbr. Deutsch. Math. Verein. 35*, 99–112.

Brillhart, J. (1969). On the euler and bernoulli polynomials. *Journal für die reine und angewandte Mathematik 234*, 45–64.

Brillhart, J. (1972). Some modular results on the Euler and Bernoulli polynomials. *Acta. Arith. 21*, 173–181.

Brillhart, J. (1976). Cyclotomic properties of the Rudin-Shapiro polynomials. *Journal für die reine und angewandte Mathematik 288*, 37–65.

Brillhart, J. (1980). Note on irreducibility testing. *Math. Comp. 35*, 1379–1381.

Brillhart, J. and S. Constantin (1985). An irreducibility criterion, Problem E2969 (solution by e. r. gentile). *Amer. Math. Monthly 92*, 668–669.

Brillhart, J., M. Filaseta, and A. Odlyzko (1981). On an irreducibility theorem of A. Cohn. *Can. J. Math. 33*, 1055–1059.

Brillhart, J. and N. Zierler (1968). On primitive trinomials (mod 2). *Inform. Control 13*, 541–554.

Brillhart, J. and N. Zierler (1969). On primitive trinomials (mod 2), II. *Inform. Control 14*, 566–569.

Browkin, J., M. Filaseta, G. Greaves, and A. Schinzel (1997). Squarefree values of polynomials and the *abc*-conjecture. In *Sieve methods, exponential sums, and their applications in Number Theory (Cardiff, 1995)*, Volume 237 of *London Math. Soc. Lecture Note Ser.*, Cambridge, pp. 65–85. Cambridge Univ. Press.

Buchstab, A. A. (1967). Combinatorial intensification of the sieve method of Eratosthenes. *(Russian), Uspehi Mat. Nauk 22*, 199–226.

Camion, P. F. (1983). Improving an algorithm for factoring polynomials over a finite field and constructing large irreducible polynomials. *IEEE Trans. Inform. Theory 29*(3), 378–385.

Cantor, D. G. (1981). Irreducible polynomials with integral coefficients have succinct certificates. *J. Algorithms 2*(4), 385–392.

Car, M. (1984). Ensembles de polynômes irréductibles et théorèmes de densité. *Acta Arith. 44*(4), 323–342.

Caragiu, M. (2001). Constructing irreducible polynomials with prescribed level curves over finite fields. *Int. J. Math. Math. Sci. 27*(4), 197–200.

Carlitz, L. (1952a). Note on irreducibility of Bernoulli and Euler polynomials. *Duke Math. Jour. 19*, 475–481.

Carlitz, L. (1952b). A theorem of Dickson on irreducible polynomials. *Proc. Amer. Math. Soc. 3*, 693–700.

Carlitz, L. (1963). The distribution of irreducible polynomials in several indeterminates. *Illinois J. Math. 7*, 371–375.

Carlitz, L. (1964). A property of irreducible polynomials related to Mersenne primes. *Univ. Nac. Tucumán Rev. Ser. A 15*, 43–46.

Carlitz, L. (1965a). The distribution of irreducible polynomials in several indeterminates. II. *Canad. J. Math. 17*, 261–266.

Carlitz, L. (1965b). The irreducibility of Bernoulli polynomials $B_{14}(x)$. *Math. Comp. 19*, 667–670.

Cassels, J. W. S. (1966). On a problem of Schinzel and Zassenhaus. *J. Math. Sci. 1*, 1–8.

Cattell, K., F. Ruskey, J. Sawada, M. Serra, and C. R. Miers (2000). Fast algorithms to generate necklaces, unlabeled necklaces, and irreducible polynomials over GF(2). *J. Algorithms 37*(2), 267–282.

Cavachi, M., M. Vâjâitu, and A. Zaharescu (2002). A class of irreducible polynomials. *J. Ramanujan Math. Soc. 17*(3), 161–172.

Chandrasekharan, K. (1968). *Introduction to Analytic Number Theory*. New York: Springer-Verlag.

Chang, J. A. and H. J. Godwin (1969). A table of irreducible polynomials and their exponents. *Proc. Cambridge Philos. Soc. 65*, 513–522.

Chao, H. (1974). A generalization of Eisenstein's criterion. *Math. Mag. 47*, 158–159.

Chen, Y. G. and I. Z. Ruzsa (2000). Prime values of reducible polynomials, I. *Acta Arith. 45*, 185–193.

Chou, W.-S. and S. D. Cohen (1999). Polynomial distribution and sequences of irreducible polynomials over finite fields. *J. Number Theory 75*(1), 145–159.

Choudhry, A. and A. Schinzel (1992). On the number of terms in the irreducible factors of a polynomial over $\mathbf{Q}$. *Glasgow Math. J. 34*(1), 11–15.

Chu, W. M. (1996). Construction of irreducible polynomials using cubic transformation. *Appl. Algebra Engrg. Comm. Comput. 7*(1), 15–19.

Cohen, S. D. (1968/1969a). The distribution of irreducible polynomials in several indeterminates over a finite field. *Proc. Edinburgh Math. Soc. (2) 16*, 1–17.

Cohen, S. D. (1969b). On irreducible polynomials of certain types in finite fields. *Proc. Cambridge Philos. Soc. 66*, 335–344.

Cohen, S. D. (1992). The explicit construction of irreducible polynomials over finite fields. *Des. Codes Cryptogr. 2*(2), 169–174.

Conway, J. B. (1978). *Functions of One Complex Variable*. New York: Springer-Verlag.

Deshouillers, J. M. and H. Iwaniec (1982). On the greatest prime factor of n^2+1. *Ann. Inst. Fourier, Grenoble 4*, 1–11.

Desimirova, L. K. (1980). Remarks on a paper by D. Pirgov and L. Stoicev on the irreducibility of integer polynomials: Über eine Klasse der irreduziblen ganzzahligen Polynome. *Bul. Inst. Politehn. Bucuresti Ser. Chim.-Metal. 42*, 7–8.

Dickson, L. E. (1958). *Linear Groups with an Exposition of the Galois Theory.* New York: Dover.

Dickson, L. E. (1971). *History of the Theory of Numbers (Vol. I, II, and III).* New York: Chelsea.

Dilcher, K. (1987). Irreducibility of certain generalized Bernoulli polynomials belonging to quadratic residue characters. *J. Number Theory 25*, 72–80.

Dobbs, D. E. and L. E. Johnson (1999). On the probability that Eisenstein's criterion applies to an arbitrary irreducible polynomial. In *Advances in commutative ring theory (Fez, 1997)*, Volume 205 of *Lecture Notes in Pure and Appl. Math.*, pp. 241–256. New York: Dekker.

Dobrowolski, E. (1979). On a question of Lehmer and the number of irreducible factors of a polynomial. *Acta Arith. 34*, 391–401.

Dodunekov, S. M. (1971/72). Essentially distinct irreducible polynomials over finite fields. *Annuaire Univ. Sofia Fac. Math. 66*, 169–175 (1974).

Dorwart, H. L. (1935a). Concerning certain reducible polynomials. *Duke Math. J. 1*, 70–73.

Dorwart, H. L. (1935b). Irreducibility of polynomials. *Amer. Math. Monthly 42*, 369–381.

Dorwart, H. L. (1981). Old-fashion algebra can be useful. *Math. Mag. 54*, 11–13.

Dorwart, H. L. and O. Ore (1933). Criteria for the irreducibilityh of polynomials. *Annals of Math. (2) 34*, 81–94.

Ecklund, E. F., R. B. Eggleton, P. Erdős, and J. L. Selfridge (1978). On the prime factorization of binomial coefficients. *J. Austral. Math. Soc., Ser. A 26*, 257–269.

Eisenstein, G. (1850). Über die Irreductibilität und einige andere Eigenschaften der Gleichung, von welcher die theilung der ganzen Lemniscate abhängt. *Crelle J. 39*, 160–182.

Erdős, P. (1935). On the normal number of prime factors of $p-1$ and some related problems concerning Euler's ϕ-function. *Quart. Jour. Math. 6*, 205–213.

Erdős, P. (1937). Note on the number of prime divisors of integers. *Jour. London Math. Soc. 12*, 308–314.

Erdős, P. (1953). Arithmetical properties of polynomials. *Jour. London Math. Soc. 28*, 416–425.

Erdős, P. (1959). Combinatorial problems in Number Theory. Report of the institute in the theory of numbers, University of Colorado, Boulder.

Ferguson, R. (1997). Irreducible polynomials with many roots of equal modulus. *Acta Arith. 78*(3), 221–225.

Filaseta, M. (1982). A further generalization of an irreducibility theorem of A. Cohn. *Canad. J. Math. 34*(6), 1390–1395.

Filaseta, M. (1987). The irreducibility of almost all Bessel polynomials. *J. Number Theory 27*(1), 22–32.

Filaseta, M. (1988a). Irreducibility criteria for polynomials with nonnegative coefficients. *Canad. J. Math. 40*(2), 339–351.

Filaseta, M. (1988b). Prime values of irreducible polynomials. *Acta Arith. 50*(2), 133–145.

Filaseta, M. (1990). Rouché's theorem for polynomials. *Amer. Math. Monthly 97*(9), 834–835.

Filaseta, M. (1991). On an irreducibility theorem of I. Schur. *Acta Arith. 58*(3), 251–272.

Filaseta, M. (1992). Squarefree values of polynomials. *Acta Arith. 60*(3), 213–231.

Filaseta, M. (1993). Short interval results for k-free values of irreducible polynomials. *Acta Arith. 64*(3), 249–270.

Filaseta, M. (1994). Powerfree values of binary forms. *J. Number Theory 49*(2), 250–268.

Filaseta, M. (1995). The irreducibility of all but finitely many Bessel polynomials. *Acta Math. 174*(2), 383–397.

Filaseta, M. (1996). A generalization of an irreducibility theorem of I. Schur. In *Analytic number theory, Vol. 1 (Allerton Park, IL, 1995)*, Volume 138 of *Progr. Math.*, Boston, MA, pp. 371–396. Birkhäuser Boston.

Filaseta, M. (1999). On the factorization of polynomials with small Euclidean norm. In *Number theory in progress, Vol. 1 (Zakopane-Kościelisko, 1997)*, Berlin, pp. 143–163. de Gruyter.

Filaseta, M., K. Ford, and S. Konyagin (2000). On an irreducibility theorem of A. Schinzel associated with coverings of the integers. *Illinois J. Math. 44*(3), 633–643.

Filaseta, M. and S. W. Graham (1993). An estimate for the number of reducible Bessel polynomials of bounded degree. *Colloq. Math. 65*(1), 65–68.

Filaseta, M. and S. Konyagin (1996). Squarefree values of polynomials all of whose coefficients are 0 and 1. *Acta Arith. 74*(3), 191–205.

Filaseta, M. and T.-Y. Lam (2002). On the irreducibility of the generalized Laguerre polynomials. *Acta Arith. 105*, 177–182.

Filaseta, M. and D. Meade. Irreducibility testing of lacunary 0,1-polynomials.

Filaseta, M., M. L. Robinson, and F. S. Wheeler (1994). The minimal Euclidean norm of an algebraic number is effectively computable. *J. Algorithms 16*(2), 309–333.

Filaseta, M. and A. Schinzel. On testing the divisibility of lacunary polynomials by cyclotomic polynomials.

Filaseta, M. and I. Solan (1997). Norms of factors of polynomials. *Acta Arith. 82*(3), 243–255.

Filaseta, M. and I. Solan (1999). An extension of a theorem of Ljunggren. *Math. Scand. 84*(1), 5–10.

Filaseta, M. and O. Trifonov (2002). The irreducibility of the Bessel polynomials. *Journal für die reine und angewandte Mathematik 550*, 125–140.

Filaseta, M. and R. Williams. On the irreducibility of a certain class of Laguerre polynomials. *J. Number Theory*.

Filasetal, M. (2002). On coverings of the integers associated with an irreducibility theorem of A. Schinzel. In *Number Theory for the Millennium, Vol. 2*, Natick, Massachusetts, pp. 1–24. A. K. Peters.

Gallagher, P. (1973). The large sieve and probabilistic Galois theory. In *Proceedings of Symposia in Pure Math*, Volume 24, Rhode Island, pp. 91–101. Amer. Math. Soc.

Gao, S., J. Howell, and D. Panario (1999). Irreducible polynomials of given forms. In *Finite fields: theory, applications, and algorithms (Waterloo, ON, 1997)*, Volume 225 of *Contemp. Math.*, pp. 43–54. Providence, RI: Amer. Math. Soc.

Gao, S. and G. L. Mullen (1994). Dickson polynomials and irreducible polynomials over finite fields. *J. Number Theory 49*(1), 118–132.

Gao, S. and D. Panario (1997). Tests and constructions of irreducible polynomials over finite fields. In *Foundations of computational mathematics (Rio de Janeiro, 1997)*, pp. 346–361. Berlin: Springer.

Garakov, G. A. (1970). Tables of irreducible polynomials over the field GF(p) ($p \leq 11$). *Trudy Vyčisl. Centra Akad. Nauk Armjan. SSR i Erevan. Gos. Univ. Mat. Voprosy Kibernet. i Vyčisl. Tehn. 6*, 112–142.

Gauss, C. F. (1965). *Disquisitiones Arithmeticae*. New York: Chelsea.

Gel′fand, S. I. (1969). Irreducible polynomials over a finite field. *Uspehi Mat. Nauk 24*(4), 193–194.

Gologan, R.-N. (2001). Derivatives and irreducible polynomials. *Elem. Math. 56*(4), 170–172.

Golomb, S. W. (1969). Irreducible polynomials, synchronization codes, primitive necklaces, and the cyclotomic algebra. In *Combinatorial Mathematics and its Applications (Proc. Conf., Univ. North Carolina, Chapel Hill, N.C., 1967)*, pp. 358–370. Chapel Hill, N.C.: Univ. North Carolina Press.

Golomb, S. W. (1980). Obtaining specified irreducible polynomials over finite fields. *SIAM J. Algebraic Discrete Methods 1*(4), 411–418.

Granja, A. (1994). Irreducible polynomials with coefficients in a complete discrete valuation field. *Adv. Math. 109*(1), 75–87.

Granja, A. (1996). Irreducible polynomials of $k((X))[Y]$. In *Algebraic geometry and singularities (La Rábida, 1991)*, Volume 134 of *Progr. Math.*, pp. 311–317. Basel: Birkhäuser.

Green, D. H. and I. S. Taylor (1974). Irreducible polynomials over composite Galois fields and their applications in coding techniques. *Proc. Inst. Elec. Engrs. 121*, 935–939.

Grosswald, E. (1951). On some algebraic properties of the besel polynomials. *Trans. Amer. Math. Soc. 71*, 197–210. (Addendum in Vol. 144 (1969), 569–570).

Grosswald, E. (1978). *Bessel Polynomials, Lecture Notes in Math. Vol. 698.* Berlin: Springer-Verlag.

Grosswald, E. (1988). On the irreducibility of Bessel polynomials. *Libertas Math. 8*, 47–53.

Guy, R. K. (1981). *Unsolved Problems in Number Theory.* Berlin: Springer-Verlag.

Győry, K. (1971). Sur l'irréductibilité d'une classe des polynômes, I. *Publicationes Math. 18*, 289–307.

Győry, K. (1972). Sur l'irréductibilité d'une classe des polynômes, II. *Publicationes Math. 19*, 293–326.

Győry, K. (1982). On the irreducibility of a class of polynomials, III. *Jour. Number Theory 15*, 164–181.

Győry, K. (1992). On the irreducibility of a class of polynomials, IV. *Acta Arth. 62*, 399–405.

Hadlock, C. R. (1978). *Field Theory and Its Classical Problems.* Carus Math. Monographs. Washington, DC: Math. Assoc. of America.

Halberstam, H. and H.-E. Richert (1974). *Sieve Methods.* London: Academic Press.

Ham, K. H. and G. L. Mullen (1998). Distribution of irreducible polynomials of small degrees over finite fields. *Math. Comp. 67*(221), 337–341.

Hasse, H. (1980). *Number Theory.* Berlin: Springer-Verlag.

Hellegouarch, Y. (1990). Construction de polynômes irréductibles de petits degrés. *C. R. Acad. Sci. Paris Sér. I Math. 311*(2), 73–76.

Holt, J. B. (1913). The irreducibility of legendre's polynomials I. *Proc. London Math. Soc. (2) 11*, 351–356.

Hooley, C. (1967). On the greatest prime factor of a quadratic polynomial. *Acta. Math. 117*, 281–299.

Hsu, C.-N. (1996). The distribution of irreducible polynomials in $\mathbf{F}_q[t]$. *J. Number Theory 61*(1), 85–96.

Huxley, M. and M. Nair (1980). Power free values of polynomials, III. *Proc. London Math. Soc. 41*, 66–82.

Ille, H. (1926). Einige Bemerkungen zu einem von G. Pólya herrührenden Irreduzibilitätskriterium. *Jber. Deutsch. Math. Verein. 35*, 204–208.

Inkeri, K. (1959). The real roots of Bernoulli polynomials. *Ann. Univ. Turk., Series A 37*, 9–10.

Iwaniec, H. (1978). Almost primes represented by quadratic polynomials. *Invent. Math. 47*, 171–188.

Konyagin, S. V. (1999). On the number of irreducible polynomials with $0, 1$ coefficients. *Acta Arith. 88*(4), 333–350.

Kronecker, L. (1854). *Liouvilles J. 19*, 177.

Kronecker, L. (1857). Zwei Sätze über Gleichungen mit ganzzahligen Koeffizienten. *J. Remne Angew. Math. 53*, 173–175.

Kuhn, P. (1953). Neue Abschätzungen auf Grund der Viggo Brunschen siebmethode. *Skand. Mat. Kongr., Lund. 12*, 160–168.

Kuz′min, E. N. (1989). On irreducible polynomials over a finite field. *Sibirsk. Mat. Zh. 30*(6), 98–109.

Kuz′min, E. N. (1990). A class of irreducible polynomials over a finite field. *Dokl. Akad. Nauk SSSR 313*(3), 552–555.

Kuz′min, E. N. (1994). Irreducible polynomials over a finite field. I. *Algebra i Logika 33*(4), 387–414, 469.

Kyuregyan, M. K. (1986). On a method for constructing irreducible polynomials over Galois fields. *Akad. Nauk Armyan. SSR Dokl. 83*(2), 58–61.

Kyuregyan, M. K. (1988). A new method for constructing irreducible polynomials over finite fields. *Akad. Nauk Armyan. SSR Dokl. 87*(2), 51–55.

Kyuregyan, M. K. (2002). Recurrent methods for constructing irreducible polynomials over GF(2). *Finite Fields Appl. 8*(1), 52–68.

Landau, E. (1929). Über die Irreduzibilität der Kreisteilungsgleichung. *Math. Zeitschrift 29*, 462.

Lee, M. A. (1969a). Some irreducible polynomials which are reducible mod p for all p. *Amer. Math. Monthly 76*, 1125.

Lee, M. A. (1969b). Some irreducible polynomials which are reducible mod p for all p. *Amer. Math. Monthly 76*, 1125.

Lehmer, D. H. (1964). On a problem of Störmer. *Illinios J. Math. 8*, 57–79.

Lehmer, E. (1936). On the magnitude of the coefficients of the cyclotomic polynomial. *Bull. of the Amer. Math. Soc. 42*, 389–392.

Lenstra, A. K., H. W. Lenstra, and L. Lovasz (1982). Factoring polynomials with rational coefficients. *Math. Ann. 261*, 515–534.

Levin, B. V. (1964/65). A one-dimensional sieve. *Acta. Arith. 10*, 387–397.

Lipatov, E. P. (1997). An asymptotic formula for irreducible trinomials divisible by a given irreducible polynomial. *Vestnik Moskov. Univ. Ser. I Mat. Mekh.* (3), 62–64.

Lipka, S. (1941). Über die Irreduzibilität von Polynomen. *Math. Ann. 118*, 235–245.

Lloyd-Smith, C. W. (1985). Algebraic numbers near the unit circle. *Acta. Arith. 45*, 43–57.

Maier, H. (1990). The coefficients of cyclotomic polynomials. In B. Berndt, H. Diamond, H. Halberstam, and A. Hildebrand (Eds.), *Analytic Number Theory, Proceedings of a Conference in Honor of Paul T. Bateman*, Volume 85 of *Progress in Mathematics Series*, Boston, pp. 349–366. Birkhäuser.

Marenich, E. E. (1986). The number of irreducible polynomials over a finite field. In *Mathematical physics (Russian)*, pp. 92–95, 187. Moscow: Moskov. Gos. Ped. Inst.

McCurley, K. S. (1993). Irregularities in the distribution of irreducible polynomials. *Proc. Amer. Math. Soc. 117*(1), 11–16.

McKay, J. and R. Stauduhar (1997). Finding relations among the roots of an irreducible polynomial. In *Proceedings of the 1997 International Symposium on Symbolic and Algebraic Computation (Kihei, HI)*, New York, pp. 75–77 (electronic). ACM.

Morton, P. (1997). Periods of maps on irreducible polynomials over finite fields. *Finite Fields Appl. 3*(1), 11–24.

Mossige, S. (1972). Table of irreducible polynomials over GF[2] of degrees 10 through 20. *Math. Comp. 26*, 1007–1009.

Nagell, T. (1921). Généralisation d'un théorème de Tchebycheff. *J. de Math. pures et Appl. 4*, 343–356.

Nagell, T. (1922). Zur arithmetik der polynome. *Abhandl. Math. Sem. Hamburg 1*, 179–184.

Nair, M. (1976). Power free values of polynomials. *Mathematika 23*, 159–183.

Nair, M. (1979). Power free values of polynomials, II. *Proc. London Math. Soc. 38*, 353–368.

Narkiewicz, W. (1973). *Elementary and Analytic Theory of Algebraic Numbers*. Warszawa: Polish Scientific Publishers.

Niederreiter, H. (1990). An enumeration formula for certain irreducible polynomials with an application to the construction of irreducible polynomials over the binary field. *Appl. Algebra Engrg. Comm. Comput. 1*(2), 119–124.

Nijmeijer, M. and M. Staring (1988). A formula that produces all, and nothing but, irreducible polynomials in $Z_p[x]$. *Math. Mag. 61*(1), 41–44.

Nörlund, N. E. (1924). *Vorlesungen über Differenzenrechnung*. Berlin.

Ore, O. (1934). Einige Bemerkungen über Irreduzibilität. *Jahresbericht der Deutschen Math.-Ver. 44*, 146–151.

Panaitopol, L. and D. Ştefănescu (1986a). A class of irreducible polynomials. *Bull. College Sci. Univ. Ryukyus* (42), 1–3.

Panaitopol, L. and D. Ştefănescu (1986b). On some irreducible polynomials. *Bull. Math. Soc. Sci. Math. R. S. Roumanie (N.S.) 30(78)*(2), 159–161.

Parodi, M. (1953). Un critère d'irréductibilité des polynomes à coefficients entiers sur le corps des nombres rationnels. *C. R. Acad. Sci. Paris 237*, 1057–1059.

Perron, O. (1933). *Algebra II.* Leipzig: de Gruyter.

Pirgov, D. T. (1968/69). On a certain theorem of g. pólya on the irreducibility of integer polynomials over the field of rational numbers. *Godisnik Viss. Tehn. Ucebn. Zaved. Mat. 5*, 75–82.

Pirgov, D. T. (1972/73). An extension of I. Seres's theorem on the irreducibility of integral polynomials. *Godisnik Viss. Tehn. Ucebn. Zaved. Mat. 8*, 31–34.

Pirgov, D. T. and D. D. Tokarev (1968/69a). A certain class of irreducible polynomials. *Godisnik Viss. Tehn. Ucebn. Zaved. Mat. 5*, 31–36.

Pirgov, D. T. and D. D. Tokarev (1968/69b). A certain class of irreducible polynomials. *Godišnik Visš. Tehn. Učebn. Zaved. Mat. 5*(2), 31–36 (1971).

Pólya, G. (1919). Verschiedene Bemerkungen zur Zahlentheorie. *Jahresber. Deutschen Math. Ver. 28*, 31–40.

Pólya, G. and G. Szegő (1976). *Problems and Theorems in Analysis II.* Berlin: Springer-Verlag.

Popescu, N. (1983). Sur une classe de polynômes irréductibles. *C. R. Acad. Sci. Paris Sér. I Math. 297*(1), 9–11.

Rademacher, H. (1924). Beiträge zur Viggo Brunschen Methode in der Zahlentheorie. *Abh. Math. Sem. Univ. Hamburg 3*, 12–30.

Rădulescu, M. and S. Rădulescu (1978). Irreducible polynomials. *An. Univ. Bucureşti Mat. 27*, 65–78.

Ram Murty, M. (2002). Prime numbers and irreducible polynomials. *Amer. Math. Monthly 109*(5), 452–458.

Reutenauer, C. (1988). Mots circulaires et polynômes irréductibles. *Ann. Sci. Math. Québec 12*(2), 275–285.

Ricci, G. (1937). Su la congettura di goldbach e la constante di schnirelmann, I. *Ann. Scuola Norm. Sup. Pisa 6*, 71–90.

Richert, H. E. (1969). Selberg's sieve with weights. *Mathematika 16*, 1–22.

Robinson, R. (1959). Intervals containing infinitely many sets of conjugate algebraic integers. Report of the institute in the theory of numbers, University of Colorado, Boulder.

Robinson, R. (1962). *Intervals containing infinitely many sets of conjugate algebraic integers*, Chapter Studies in Mathematical Analysis and Related Topics: Essays in Honor of George Pólya, pp. 305–315. Standford: Stanford University Press.

Robinson, R. (1988). Three old problems about polynomials with real roots. *Amer. Math. Monthly 95*, 329–330.

Rubel, L. A., A. Schinzel, and H. Tverberg (1980). On difference polynomials and hereditarily irreducible polynomials. *J. Number Theory 12*(2), 230–235.

Ruskey, F., C. R. Miers, and J. Sawada (2001). The number of irreducible polynomials and Lyndon words with given trace. *SIAM J. Discrete Math. 14*(2), 240–245 (electronic).

Scheerhorn, A. (1997). Comment: "Construction of irreducible polynomials using cubic transformation" [Appl. Algebra Engrg. Comm. Comput. **7** (1996), no. 1, 15–19; MR 98i:11103a] by W. M. Chu. *Appl. Algebra Engrg. Comm. Comput. 8*(4), 345–346.

Schinzel, A. (1963). Reducibility of polynomials in several variables. *Bull. Acad. Polon. Sci. Sér. Sci. Math. Astronom. Phys. 11*, 633–638.

Schinzel, A. (1965). On the reducibility of polynomials and in particular of trinomials. *Acta Arith. 11*, 1–34.

Schinzel, A. (1966). Errata to: "On the reducibility of polynomials and in particular of trinomials". *Acta Arith. 11*, 491.

Schinzel, A. (1967). Reducibility of polynomials of the form $f(x) - g(y)$. *Colloq. Math. 18*, 213–218.

Schinzel, A. (1967/1968). Reducibility of polynomials and covering systems of congruences. *Acta Arith. 13*, 91–101.

Schinzel, A. (1969/1970a). Reducibility of lacunary polynomials. I. *Acta Arith. 16*, 123–159.

Schinzel, A. (1969/1970b). Reducibility of lacunary polynomials. II. *Acta Arith. 16*, 371–392.

Schinzel, A. (1971a). Reducibility of lacunary polynomials. In *1969 Number Theory Institute (Proc. Sympos. Pure Math., Vol. XX, State Univ. New York, Stony Brook, N.Y., 1969)*, pp. 135–149. Providence, R.I.: Amer. Math. Soc.

Schinzel, A. (1971b). Reducibility of polynomials. In *Actes du Congrès International des Mathématiciens (Nice, 1970), Tome 1*, pp. 491–496. Paris: Gauthier-Villars.

Schinzel, A. (1976). On the number of irreducible factors of a polynomial. In *Topics in number theory (Proc. Colloq., Debrecen, 1974)*, pp. 305–314. Colloq. Math. Soc. János Bolyai, Vol. 13. Amsterdam: North-Holland.

Schinzel, A. (1977/78). Reducibility of lacunary polynomials. III. *Acta Arith. 34*(3), 227–266.

Schinzel, A. (1982). *Selected topics on polynomials*. Ann Arbor, Mich.: University of Michigan Press.

Schinzel, A. (1983). On the number of irreducible factors of a polynomial. II. *Ann. Polon. Math. 42*, 309–320.

Schinzel, A. (1984a). Reducibility of lacunary polynomials. IV. *Acta Arith. 43*(3), 313–315.

Schinzel, A. (1984b). Reducibility of lacunary polynomials. V. *Acta Arith. 43*(4), 425–440.

Schinzel, A. (1984c). Reducible lacunary polynomials. In *Seminar on number theory, 1983–1984 (Talence, 1983/1984)*, pp. Exp. No. 29, 5. Talence: Univ. Bordeaux I.

Schinzel, A. (1985). Reducibility of polynomials in several variables. II. *Pacific J. Math. 118*(2), 531–563.

Schinzel, A. (1986a). Reducibility of lacunary polynomials. VI. *Acta Arith. 47*(3), 277–293.

Schinzel, A. (1986b). Reducibility of lacunary polynomials. VII. *Monatsh. Math. 102*(4), 309–337.

Schinzel, A. (1988a). Reducibility of lacunary polynomials. IX. In *New advances in transcendence theory (Durham, 1986)*, pp. 313–336. Cambridge: Cambridge Univ. Press.

Schinzel, A. (1988b). Reducibility of lacunary polynomials. VIII. *Acta Arith. 50*(1), 91–106.

Schinzel, A. (1989a). Errata: "Reducibility of lacunary polynomials. VII" [Monatsh. Math. **102** (1986), no. 4, 309–337; MR 88e:11105]. *Acta Arith. 53*(1), 95.

Schinzel, A. (1989b). Reducibility of lacunary polynomials. X. *Acta Arith. 53*(1), 47–97.

Schinzel, A. (1990). Un critère d'irréductibilité de polynômes. In *Cinquante ans de polynômes (Paris, 1988)*, Volume 1415 of *Lecture Notes in Math.*, pp. 212–224. Berlin: Springer.

Schinzel, A. (1991). Reducibility of lacunary polynomials. XI. *Acta Arith. 57*(2), 165–175.

Schinzel, A. (1993). On reducible trinomials. *Dissertationes Math. (Rozprawy Mat.) 329*, 83.

Schinzel, A. (1995a). Errata to: "On reducible trinomials" [Dissertationes Math. (Rozprawy Mat.) **329** (1993), 83 pp.; MR 95d:11146]. *Acta Arith. 73*(4), 399–400.

Schinzel, A. (1995b). Solved and unsolved problems on polynomials. In *Panoramas of mathematics (Warsaw, 1992/1994)*, Volume 34 of *Banach Center Publ.*, pp. 149–159. Warsaw: Polish Acad. Sci.

Schinzel, A. (1997). On the Mahler measure of polynomials in many variables. *Acta Arith. 79*(1), 77–81.

Schinzel, A. (1998). Reducibility of polynomials over Kroneckerian fields. In *Number theory (Eger, 1996)*, pp. 473–477. Berlin: de Gruyter.

Schinzel, A. (1999a). The Mahler measure of polynomials. In *Number theory and its applications (Ankara, 1996)*, Volume 204 of *Lecture Notes in Pure and Appl. Math.*, pp. 171–183. New York: Dekker.

Schinzel, A. (1999b). Reducibility of lacunary polynomials. XII. *Acta Arith. 90*(3), 273–289.

Schinzel, A. (2000a). On reducible trinomials. II. *Publ. Math. Debrecen 56*(3-4), 575–608.

Schinzel, A. (2000b). *Polynomials with special regard to reducibility*, Volume 77 of *Encyclopedia of Mathematics and its Applications*. Cambridge: Cambridge University Press. With an appendix by Umberto Zannier.

Schinzel, A. (2001a). On reducible trinomials. III. *Period. Math. Hungar. 43*(1-2), 43–69.

Schinzel, A. (2001b). On the greatest common divisor of two univariate polynomials. II. *Acta Arith. 98*(1), 95–106.

Schinzel, A. (2002). On a decomposition of polynomials in several variables. II. *Colloq. Math. 92*(1), 67–79.

Schinzel, A. and J. Wójcik (1971). A note on the paper "Reducibility of lacunary polynomials. I". *Acta Arith. 19*, 195–201.

Schmid, W. C. (2000). Improvements and extensions of the "Salzburg tables" by using irreducible polynomials. In *Monte Carlo and quasi-Monte Carlo methods 1998 (Claremont, CA)*, pp. 436–447. Berlin: Springer.

Schönemann (1846). Von denjenigen Moduln, welche Potenzen von Primzahlen sind. *Crelle J. 32*, 93–105.

Schulz, W. (1953). Über Reduzibilität bei gewissen Polynomen und das Tarry-Escottsche Problem. *Math. Z. 63*, 133–144.

Schur, I. (1929a). Einege Sätze über Primzahlen mit Anwendugen auf Irreduzibilitätsfragen, I. *Sitzungsberichte der Preussischen Akademie der Wissenschaften, Physikalisch-Mathematische Klasse*, 125–136.

Schur, I. (1929b). Einege Sätze über Primzahlen mit Anwendugen auf Irreduzibilitätsfragen, II. *Sitzungsberichte der Preussischen Akademie der Wissenschaften, Physikalisch-Mathematische Klasse*, 370–391.

Schur, I. (1930). Gleichungen ohne Affekt. *Sitzungsberichte der Preussischen Akademie der Wissenschaften, Physikalisch-Mathematische Klasse*, 443–449.

Schur, I. (1931). Affektlose Gleichungen in der Theorie der Laguerreschen und Hermiteschen Polynome. *Journal für die reine und angewandte Mathematik 165*, 52–58.

Schwarz, Š. (1988). Irreducible polynomials over finite fields with linearly independent roots. *Math. Slovaca 38*(2), 147–158.

Seres, I. (1956). Lösung und Verallgemeinerung eines Schurschen Irreduzibilitätsproblems für Polynome. *Acta. Math. Acad. Sci. Hungar. 7*, 151–157.

Seres, I. (1963). Über die irreduzibilität gewisser Polynome. *Acta. Arith. 8*, 321–341.

Seres, I. (1965). Irreducibility of polynomials. *J. Algebra 2*, 283–286.

Shorey, T. N. and R. Tijdeman (1986). *Exponential Diophantine Equations*, Volume 87 of *Cambridge Tracts. in Math.* Cambridge: Cambridge Univ. Press.

Shoup, V. (1990). New algorithms for finding irreducible polynomials over finite fields. *Math. Comp. 54*(189), 435–447.

Shoup, V. (1993). Fast construction of irreducible polynomials over finite fields. In *Proceedings of the Fourth Annual ACM-SIAM Symposium on Discrete Algorithms (Austin, TX, 1993)*, New York, pp. 484–492. ACM.

Shoup, V. (1994). Fast construction of irreducible polynomials over finite fields. *J. Symbolic Comput. 17*(5), 371–391.

Shparlinski, I. E. (1996). On irreducible polynomials of small height over finite fields. *Appl. Algebra Engrg. Comm. Comput. 7*(6), 427–431.

Shparlinskiĭ, I. E. (1989). Distribution of primitive and irreducible polynomials modulo a prime. *Diskret. Mat. 1*(1), 117–124.

Sierpinski, W. (1960). Sur un problème concernant les nombres $k2^n + 1$. *Elem. Math. 15*, 73–74. (Corrigendum, ibidem. 17 (1962), 85).

Smyth, C. J. (1971). On the product of the conjugates outside the unit circle of an algebraic integer. *Bull. London Math. Soc. 3*, 169–175.

Swift, J. D. (1960). Construction of Galois fields of characteristic two and irreducible polynomials. *Math. Comput. 14*, 99–103.

Thaine, F. (2001). Jacobi sums and new families of irreducible polynomials of Gaussian periods. *Math. Comp. 70*(236), 1617–1640 (electronic).

Uspensky, J. V. (1948). *Theory of Equations*. New York: McGraw-Hill.

van der Waerden, B. L. (1934). Die Seltenheit der Gleichungen mit Affekt. *Math. Ann. 109*, 13–16.

van der Waerden, B. L. (1970). *Algebra, Vol. 1*. New York: Frederick Ungar Publ. Co. (translated by F. Blum and J. Schulenberger from the 7th edition).

Varshamov, R. R. (1984). A method for constructing irreducible polynomials over finite fields. *Akad. Nauk Armyan. SSR Dokl. 79*(1), 26–28.

von Haeseler, F. and W. Jürgensen (2001). Irreducible polynomials generated by decimations. In *Finite fields and applications (Augsburg, 1999)*, pp. 224–231. Berlin: Springer.

von zur Gathen, J. (1986). Irreducible polynomials over finite fields. In *Foundations of software technology and theoretical computer science (New Delhi, 1986)*, Volume 241 of *Lecture Notes in Comput. Sci.*, pp. 252–262. Berlin: Springer.

Wahab, J. H. (1952). New cases of irreducibility for legendre polynomials. *Duke Math. J. 19*, 165–176.

Wan, D. (1997). Generators and irreducible polynomials over finite fields. *Math. Comp. 66*(219), 1195–1212.

Wang, R. (1999). Some structures of irreducible polynomials over a unique factorization domain *R*. *J. Math. Res. Exposition 19*(2), 367–373.

Wang, Y. (1959). On sieve methods and some of their applications. *Acta. Math. Sinica 9*, 87–100. (Sci. Sinica 11 (1962), 1607-1624).

Wang, Y. (1987). A method of calculating the Galois group of an irreducible polynomial of degree 5 in $\mathbf{Q}[x]$. *J. East China Norm. Univ. Natur. Sci. Ed.* (1), 11–14.

Weiss, E. (1963). *Algebraic Number Theory*. New York: Chelsea.

Xiang, H. J. and J. H. Wang (2000). A criterion for irreducible polynomials over a unique factorization domain *R*. *Math. Theory Appl. 20*(4), 51–53.

Zassenhaus, H. J. (1969). On Hensel factorization, I. *J. Number Theory 1*, 291–311.

Zassenhaus, H. J. (1975). On Hensel factorization, II. In *Symposia Mathematica*, Volume 15, London, pp. 499–513. Academic Press.

Zassenhaus, H. J. (1978). A remark on the Hensel factorization method. *Math. Comp. 32*, 287–292.

Zetterberg, L.-H. (1962). Cyclic codes from irreducible polynomials for correction of multiple errors. *IRE Trans. Information Theory IT-8*, 13–20.

Zhu, Y. X. (2001). Irreducible polynomials for which Eisenstein's irreducibility criterion does not apply. *J. Xuzhou Norm. Univ. Nat. Sci. Ed. 19*(2), 11, 60.