

Automatic algebras, finitely based or not

George F. McNulty

Department of Mathematics
University of South Carolina

July 2007

Conference on Algorithmic Complexity
and Universal Algebra
Szeged, Hungary



Outline

Intrtroduction

Finite automata and their algebras

Finite basis results

Bilinear automatic algebras

Outline

Introduction

Finite automata and their algebras

Finite basis results

Bilinear automatic algebras

Outline

Introduction

Finite automata and their algebras

Finite basis results

Bilinear automatic algebras

Outline

Introduction

Finite automata and their algebras

Finite basis results

Bilinear automatic algebras

A problem

Is there an algorithm that determines for a finite algebra \mathbf{A} whether the finite algebra membership problem for the variety generated by \mathbf{A} is solvable in polynomial time?

Algebras arise

Algebraic systems that came to prominence in the 19th century, such as groups, rings, vector spaces, modules, Boolean algebras, and lattices gave rise in the 20th century to the general theory of algebras and of varieties of algebras and of their associated equational theories.

Algebras arise

Algebraic systems that came to prominence in the 19th century, such as groups, rings, vector spaces, modules, Boolean algebras, and lattices gave rise in the 20th century to the general theory of algebras and of varieties of algebras and of their associated equational theories.

This more general perspective admits a much broader assortment of algebraic systems and the development of this general perspective would seem to require the examination of algebraic systems whose mathematical provenance differs from those listed above.

Algebras arise

Algebraic systems that came to prominence in the 19th century, such as groups, rings, vector spaces, modules, Boolean algebras, and lattices gave rise in the 20th century to the general theory of algebras and of varieties of algebras and of their associated equational theories.

This more general perspective admits a much broader assortment of algebraic systems and the development of this general perspective would seem to require the examination of algebraic systems whose mathematical provenance differs from those listed above.

Algebras associated with graphs, hypergraphs, tournaments, Turing machines, and other combinatorial structures have all emerged in the last several decades, leading to concepts and results useful from the more general perspective.

Finite Automata

Here we will consider algebras associated with finite automata.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Finite Automata

Here we will consider algebras associated with finite automata.

A **finite automaton** is a system $\langle \Sigma, Q, \delta, q_0, F \rangle$ where

- ▶ Σ is a nonempty finite set, referred to as the **alphabet**,
- ▶ Q is a nonempty finite set, referred to as the set of **states**,
- ▶ the sets Σ and Q are disjoint,
- ▶ δ is a function from a subset of $Q \times \Sigma$ to Q and it is called the **transition function**,
- ▶ q_0 , referred to as the **initial state**, belongs to Q , and
- ▶ $F \subseteq Q$ is referred to as the collection of **final states**.

Automatic algebras

The function δ is a partial operation on $\Sigma \cup Q$. By adding a new element 0 as a default value we can extend δ to a total binary operation on $\Sigma \cup Q \cup \{0\}$.

Automatic algebras

The function δ is a partial operation on $\Sigma \cup Q$. By adding a new element 0 as a default value we can extend δ to a total binary operation on $\Sigma \cup Q \cup \{0\}$.

Given an automaton $M = \langle \Sigma, Q, \delta, q_0, F \rangle$ associated **automatic algebra** $\mathbf{A}(M) = \langle \Sigma \cup Q \cup \{0\}, \cdot \rangle$ is the algebra that satisfies the following stipulations: $0 \notin \Sigma \cup Q$ and





$$r \cdot a = \begin{cases} \delta(r, a) & \text{if } \delta \text{ is defined at } (r, a) \\ 0 & \text{otherwise.} \end{cases}$$

Displaying automata and their algebras

Finite automata (and their algebras) can be displayed via diagrams. These diagrams are certain directed graphs with labelled edges. The states of the automaton are the vertices of the graph. An edge directed from q to r with label a is in the diagram provided $\delta(q, a) = q \cdot a = r$.

Displaying automata and their algebras

Here is a display three automata L , R , and M_0 associated with automatic algebras to be found in the literature. The diagram V would depict an automaton except that one of the “states” would also be a “letter”.



Displaying automata and their algebras

Automatic algebras were introduced in Zoltán Székely's 1998 dissertation, where they were called edge algebras. Székely investigated several inherently nonfinitely based variants of L above.

Displaying automata and their algebras

Automatic algebras were introduced in Zoltán Székely's 1998 dissertation, where they were called edge algebras. Székely investigated several inherently nonfinitely based variants of L above.

One reason to investigate automatic algebras is to develop methods for distinguishing which finite algebras are finitely based, which are inherently nonfinitely based, and which are nonfinitely based but fail to be inherently nonfinitely based. It may also be fruitful to develop an understanding of which automatic algebras are dualizable.

Languages accepted by automata

An automaton M **accepts** a word w on the alphabet Σ provided there is a directed path from the initial state to some final state so that w is can be read off the edges as they are traversed in going from the initial state to the final state. Let \mathcal{L} be a set of words on Σ . We say that M **accepts the language** \mathcal{L} provided $\mathcal{L} = \{w \mid M \text{ accepts } w\}$.

Three finite basis theorems

Theorem

Let \mathbf{A} be an automatic algebra. If the language accepted by the automaton M is finite whenever $\mathbf{A} = \mathbf{A}(M)$, then \mathbf{A} is finitely based.

Three finite basis theorems

We say a letter b is a **bridge** letter for the language \mathcal{L} provided

- ▶ b occurs no more than once in every word belonging to \mathcal{L} , and
- ▶ b occurs as the rightmost letter in arbitrarily long words in \mathcal{L} .

Theorem

Let M be an automaton that accepts an infinite language with a bridge letter. Let \mathbf{P} be a nontrivial algebra in which $x \cdot y \approx y$ holds. The algebra $\mathbf{A}(M) \times \mathbf{P}$ is not finitely based.

Three finite basis theorems

We say a letter b is a **bridge** letter for the language \mathcal{L} provided

- ▶ b occurs no more than once in every word belonging to \mathcal{L} , and
- ▶ b occurs as the rightmost letter in arbitrarily long words in \mathcal{L} .

Theorem

Let M be an automaton that accepts an infinite language with a bridge letter. Let \mathbf{P} be a nontrivial algebra in which $x \cdot y \approx y$ holds. The algebra $\mathbf{A}(M) \times \mathbf{P}$ is not finitely based.

This theorem extends a 1996 result of V. L. Murskii. Note that \mathbf{P} can be taken to be a two-element algebra.

Three finite basis theorems

Theorem

*If M is a finite automaton with just one final state that accepts the language a^*bc^* , then $\mathbf{A}(M)$ is inherently nonfinitely based.*

Three finite basis theorems

Theorem

*If M is a finite automaton with just one final state that accepts the language a^*bc^* , then $\mathbf{A}(M)$ is inherently nonfinitely based.*

In the automaton R take q to be the initial state and let r be the sole final state. Clearly a^*bc^* is the language accepted by R . So we get another proof that $\mathbf{A}(R)$ is inherently nonfinitely based.

Three finite basis theorems

Theorem

*If M is a finite automaton with just one final state that accepts the language a^*bc^* , then $\mathbf{A}(M)$ is inherently nonfinitely based.*

In the automaton R take q to be the initial state and let r be the sole final state. Clearly a^*bc^* is the language accepted by R . So we get another proof that $\mathbf{A}(R)$ is inherently nonfinitely based.

Which languages can replace a^*bc^* in the theorem above?

Bilinear algebras made from automata

Let M be a finite automata and \mathfrak{K} be a field. Form a nonassociative bilinear algebra $\mathfrak{K}(M)$ by regarding the default element 0 as the zero vector and the set $\Sigma \cup Q$ as a basis for a vector space over \mathfrak{K} .

The elements of $\mathfrak{K}(M)$ then become the linear combinations of the basis vectors and the product on $\mathfrak{K}(M)$ is the natural extension of the automatic algebra product in $\mathbf{A}(M)$.

It is notable that Isaev's 1989 example of an inherently nonfinitely based finite algebra that generates a congruence modular variety is exactly $\mathfrak{K}(R)$.

Bilinear algebras made from automata

Let M be a finite automata and \mathfrak{K} be a field. Form a nonassociative bilinear algebra $\mathfrak{K}(M)$ by regarding the default element 0 as the zero vector and the set $\Sigma \cup Q$ as a basis for a vector space over \mathfrak{K} .

The elements of $\mathfrak{K}(M)$ then become the linear combinations of the basis vectors and the product on $\mathfrak{K}(M)$ is the natural extension of the automatic algebra product in $\mathbf{A}(M)$.

It is notable that Isaev's 1989 example of an inherently nonfinitely based finite algebra that generates a congruence modular variety is exactly $\mathfrak{K}(R)$.

Bilinear algebras made from automata

Let M be a finite automata and \mathfrak{K} be a field. Form a nonassociative bilinear algebra $\mathfrak{K}(M)$ by regarding the default element 0 as the zero vector and the set $\Sigma \cup Q$ as a basis for a vector space over \mathfrak{K} .

The elements of $\mathfrak{K}(M)$ then become the linear combinations of the basis vectors and the product on $\mathfrak{K}(M)$ is the natural extension of the automatic algebra product in $\mathbf{A}(M)$.

It is notable that Isaev's 1989 example of an inherently nonfinitely based finite algebra that generates a congruence modular variety is exactly $\mathfrak{K}(R)$.

What is it about the automaton R that causes both $\mathbf{A}(R)$ and $\mathfrak{K}(R)$ to be inherently nonfinitely based?



